



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT AGENCY
HEADQUARTERS, UNITED STATES ARMY GARRISON-MICHIGAN
6501 E. ELEVEN MILE ROAD
WARREN MI 48397-5000

IMNE-MIG-PL

SEP 04 2009

MEMORANDUM FOR U.S. Army Garrison-Detroit Arsenal Personnel

SUBJECT: U.S. Army Garrison (USAG) – Detroit Arsenal (DTA), Policy Memorandum #28, Emergency Management Program – Integration of All Installation Contingency and Response Plans.

1. REFERENCE.

- a. DODI 6055.17, DOD Installation Emergency Management (IEM) Program, dated 13 January 2009.
- b. AR 525-27, Army Emergency Management Program, 13 March 2009.
- c. DODI 2000.18, Department of Defense Installation Chemical, Biological, Radiological, Nuclear, and High-Yield Explosive Emergency Response Guidelines, dated 04 December 2002.
- d. Decision Paper #91, Garrison Functions Review, dated 26 March 2007.

2. PURPOSE: To designate overall responsibility and to provide guidance for the appropriate integration and coordination of all emergency planning, response, contingency, and recovery plans, regulations, Standard Operating Procedures (SOPs), or standard operating guides with the overarching installation Emergency Management Plan.

3. APPLICABILITY. These procedures are applicable to all personnel assigned to and/or under the operational control of the USAG-DTA.

4. POLICY.

- a. The Directorate of Plans, Training, Mobilization, and Security (DPTMS) will have designated authority and responsibility to develop, manage, and execute classified and unclassified emergency and contingency plans, to include the Installation Emergency Operations Plan, that will comply with All-Hazards planning and operations responsibility.

- b. To prevent the duplication of effort and/or the commitment of any DTA assets, all plans, regulations, SOPs, or standard operating guides addressing emergency planning, response, contingency, or recovery will be coordinated with and through DPTMS prior to the signature of the Garrison Manager or Director.

IMNE-MIG-PL


SUBJECT: U.S. Army Garrison (USAG) – Detroit Arsenal, Policy Memorandum #28,
Emergency Management Program – Integration of All Installation Contingency and Response
Plans.

5. PROCEDURES.

a. All existing plans, regulations, SOPs, or standard operating guides addressing emergency planning, response, contingency, or recovery will be reviewed annually by DPTMS.

b. Any new, or changes to existing plans, regulations, SOPs, or standard operating guides addressing emergency planning, response, contingency, or recovery will adhere to this policy.

6. PROPONENT. DPTMS is the proponent for this USAG-DTA policy. POC is Ralph Sanders, Director, DPTMS, 586.753.2581, or DSN 786.2581.


BRENDA LEE MCCULLOUGH
Garrison Manager